

Chouchin 1, sospensione


technical details

FOSCARINI

Suspension lamp with direct light. The hand-blown cased glass diffuser is plain liquid coated with a glossy finish. Injection moulded transparent polycarbonate diffuser support, stainless steel suspension cable and transparent electrical cable. Ceiling rose with galvanised metal bracket and glossy white batch-dyed ABS cover. Canopy decentralisation kit - multiple canopy available (up to 6 suspension lamps).

Chouchin 1

SCHEMATIC & LIGHT EMISSION



MATERIAL

Lacquered blow glass

COLORS



ACCESSORIES

Round multiple canopy
Linear multiple canopy 90 cm
Linear multiple canopy 135 cm
Kit B
Kit F
Kit M

LIGHT SOURCE

LED retrofit included
21WE27
2700 K 2500 lm CRI>80
Dimmable with TRIAC technology
A+

CERTIFICATIONS

CE  IP 20


Chouchin 1, sospensione

technical details

FOSCARINI

Chouchin 1 MyLight

SCHEMATIC & LIGHT EMISSION



MATERIAL

Lacquered blow glass

COLORS



ACCESSORIES

Round multiple canopy
Linear multiple canopy 90 cm
Linear multiple canopy 135 cm
Kit B
Kit F
Kit M

LIGHT SOURCE

LED retrofit included
21WE27
2700 K 2500 lm CRI>80
Dimmable via Bluetooth with Casambi App
A+

CERTIFICATIONS

CE  IP 20

Chouchin 1 LED

SCHEMATIC & LIGHT EMISSION



MATERIAL

Lacquered blow glass

COLORS



ACCESSORIES

Kit B

LIGHT SOURCE

LED included
24WCOB
2700 K 2581 lm CRI>90
dimmable
On-Off/Push/DALI
A+

CERTIFICATIONS

CE  IP 20

Chouchin 2, sospensione

technical details

FOSCARINI

Suspension lamp with direct light. The hand-blown cased glass diffuser is plain liquid coated with a glossy finish. Injection moulded transparent polycarbonate diffuser support, stainless steel suspension cable and transparent electrical cable. Ceiling rose with galvanised metal bracket and glossy white batch-dyed ABS cover. Canopy decentralisation kit - multiple canopy available (up to 6 suspension lamps).

Chouchin 2

SCHEMATIC & LIGHT EMISSION



MATERIAL

Lacquered blow glass

COLORS



ACCESSORIES

Round multiple canopy
Linear multiple canopy 90 cm
Linear multiple canopy 135 cm
Kit B
Kit F
Kit M

LIGHT SOURCE

LED retrofit included
21WE27
2700 K 2500 lm CRI>80
Dimmable with TRIAC technology
A+

CERTIFICATIONS

CE  IP 20

Chouchin 2, sospensione

technical details

FOSCARINI

Chouchin 2 MyLight

SCHEMATIC & LIGHT EMISSION



MATERIAL

Lacquered blow glass

COLORS



ACCESSORIES

Round multiple canopy
Linear multiple canopy 90 cm
Linear multiple canopy 135 cm
Kit B
Kit F
Kit M

LIGHT SOURCE

LED retrofit included
21WE27
2700 K 2500 lm CRI>80
Dimmable via Bluetooth with Casambi App
A+

CERTIFICATIONS

CE  IP 20

Chouchin 2 LED

SCHEMATIC & LIGHT EMISSION



MATERIAL

Lacquered blow glass

COLORS



ACCESSORIES

Kit B

LIGHT SOURCE

LED included
24WCOB
2700 K 2581 lm CRI>90
dimmable
On-Off/Push/DALI
A+

CERTIFICATIONS

CE  IP 20